**GOVERNMENT OF ANDHRA PRADESH**
**ABSTRACT**

PS – PR&RD Department - Allegations of irregularities in execution of works of Cement Concrete Roads, taken up under MGNREGS programme for the financial year 2012-13 in the PRI Division, Palakonda, Srikakulam District – Disciplinary proceedings against Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District, under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of Charges – Orders - Issued.

- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -

**PANCHAYAT RAJ AND RURAL DEVELOPMENT(VIG.I) DEPARTMENT**

**G.O.RT.No. 1165** **Dated: 22-12-2015**
**Read the following:**

From the DG, V&E Department, VR No.10 (C.No.481-1/V&E/E2/2013), Dated.13.01.2015.

***

ORDER:

It is proposed to hold an inquiry against Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District, in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure II and III).

3. Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District, is directed to submit a written statement of his defence within 10 days of the receipt of this order.

4. Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District, is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of APCS (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

6. Attention of Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matter pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of Andhra Pradesh Civil Services(Conduct) Rules, 1964.

- PTO -

7. The receipt of the order be acknowledgment.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To
Sri R.Ramam, Deputy Executive Engineer, Panchayat Raj Sub Division, Pathapatnam, Srikakulam District **through** Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Hyderabad.
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad(with a request to serve the charges to the individual and furnish a served copy to Government).
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

**ANNEXURE-I**

**STATEMENT SHOWING THE ARTICLE OF CHARGES AGAINST SRI R.RAMAM, DEPUTY EXECUTIVE ENGINEER, PR SUB DIVISION, PATHAPATNAM, SRIKAKULAM DISTRICT.**

**CHARGE-1:-**

That Sri R.Ramam, Deputy Executive Engineer, PR Sub Division, Pathapatnam, Srikakulam District during his tenure as DEE, PR Sub-Division, Pathapatnam executed Providing internal roads with CC drains in SC, ST colonies 2012-13 in Mahartapuram (H) of Bommidi (GP) under MGNREGS Programme for the financial year 2012-13 and committed certain irregularities like (i) executed CC pavement with inferior quality and (ii) executed CC pavement by violating the MGNREGS guidelines caused wasteful expenditure to the Government exchequer.

Thus he failed to discharge his duties as responsible Government Servant and exhibited conduct un becoming of a Government Servant under Rule 3 of APCS (CCA) Rules, 1964 and he is responsible of misappropriation of Government of funds to a tune of amount of Rs.2,22,780/-.

**CHARGE-2:-**

That Sri R.Ramam, Deputy Executive Engineer, PR Sub Division, Pathapatnam, Srikakulam District during his tenure as DEE, PR Sub-Division, Pathapatnam executed Providing internal roads with CC drains in SC, ST colonies 2012-13 in Laxmipuram (H) of Routupuram (GP) and committed certain irregularities like (i) executed CC pavement with inferior quality and (ii) executed CC pavement by violating the MGNREGS guidelines caused wasteful expenditure to the Government exchequer.

Thus he failed to discharge his duties as responsible Government Servant and exhibited conduct un becoming of a Government Servant under Rule 3 of APCS (CCA) Rules, 1964 and he is responsible of misappropriation of Government of funds to a tune of amount of Rs.2,83,540/-.

**CHARGE-3:-**

That Sri R.Ramam, Deputy Executive Engineer, PR Sub Division, Pathapatnam, Srikakulam District during his tenure as DEE, PR Sub-Division, Pathapatnam executed Providing internal roads with CC drains in SC, ST colonies 2012-13 in Savara Jadupalli (H) of Jadupalli (GP) under MGNREGS Programme for the financial year 2012-13 and committed certain irregularities like (i) executed with inferior quality and (ii) executed CC pavement by violating the MGNREGS guidelines caused wasteful expenditure to the Government exchequer.

Thus he failed to discharge his duties as responsible Government Servant and exhibited conduct un becoming of a Government Servant under Rule 3 of APCS (CCA) Rules, 1964 and he is responsible of misappropriation of Government of funds to a tune of amount of Rs.9,47,364/-.

**BASIS OF CHARGE:-**

The V&E Department in their Vigilance Report No.10 (C.No.481-1/V&E/E2/2013), Dt.13.01.2015 of GA(V&E) Department, has reported that (i) executed CC pavement with inferior quality and (ii) executed CC pavement by violating the MGNREGS guidelines caused wasteful expenditure to the Government exchequer.

Vigilance Report No.10 (C.No.481-1/V&E/E2/2013), Dt.13.01.2015 recommended Disciplinary action.

Hence the Charge.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT(PR)

//TRUE COPY//

SECTION OFFICER

**ANNEXURE-II**

**LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES FRAMED AGAINST SRI R.RAMAM, DEPUTY EXECUTIVE ENGINEER, PR SUB DIVISION, PATHAPATNAM, SRIKAKULAM DISTRICT ARE PROPOSED TO BE SUSTAINED.**

Vigilance Report No.10 (C.No.481-1/V&E/E2/2013), Dt.13.01.2015 of GA(V&E) Department

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT(PR)

//TRUE COPY//

SECTION OFFICER

**ANNEXURE-III**

**LIST OF WITNESSES BY WHICH THE ARTICLE OF CAHRGES FRAMED AGAINST SRI R.RAMAM, DEPUTY EXECUTIVE ENGINEER, PR SUB DIVISION, PATHAPATNAM, SRIKAKULAM DISTRICT ARE PROPOSED TO BE SUSTAINED.**

-NIL-

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT(PR)

//TRUE COPY//

SECTION OFFICER